

UL Listed Made in USA Quality Innovative Products

That Help Do Jobs...

SAFER

**NO WORKERS BELOW
PREVENTS INJURIES
OR DEATHS**

BETTER

**RATED AT 4,000 PSI
TENSILE STRENGTH
AT BREAK**

**OVER 12X
FASTER
THAN SPACERS
& CHAIRS**




Qwik Duct

HDPE CUSTOM TEMPLATES



Patent Pending



Lower assembled conduit then while above drive rods into trench walls to prevent floating during concrete or slurry pour.



WHEN ASSEMBLING ABOVE THE TRENCH:

1. Install Conduits into Template & Rebar if Required
2. Lower Assemblies into Trench
3. Insert Assemblies into Trench
4. Insert Stake Down Rods into Trench Walls from Above
5. Backfil with Concrete, Slurry, Sand or Gravel etc.

Eliminates dangerous & expensive time working in trench strengthening weak spacers & chairs with tie wire or other methods.

Lowering assembled conduit from above allows other savings – Digging a narrower trench for less excavation, concrete or slurry, shoring and backfill. The savings are huge!

ALSO SUITABLE FOR TRANSFORMER & SWITCHGEAR STUB UPS



**PATENT PENDING
PATENTED**



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

730 Pratt Boulevard • Elk Grove Village, IL 60007
P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595
E: info@spproducts.com • www.spproducts.com

IP1